

DRIP IN® CL

Drip In® CL is the drip line with cylindrical emitter specifically designed for flower beds, hedges and landscape irrigation.

High mimicry thanks to the brown color.

Maximum working pressure: 3.5 bar Filtration requirements: 120 mesh



Part number	Description	Nominal diameter	I.D.	Spacing	Flow rate	Coil length
EHCLB162-33-400	1000				9	400 m
EHCLB162-33-100	Drip In CL brown	16 mm	13,8 mm	33 cm	2 l/h	100 m
EHCLB162-33-50						50 m
EHCLB162-33-25						25 m

Coil length	Coil per pallet	Pallet per truck	Meters per truck
400 m	-		160.000
100 m	24	44	105.600
50 m	40	40	80.000
25 m	50	40	50.000



DRIP IN® PC

Drip In® PC is the drip line with cylindrical Pressure Compensating emitter specifically designed for flower beds, hedges and landscape irrigation.

The brown color allows a low visual impact and a high camouflage.




Maximum working pressure: 3.5 bar Filtration requirements: 120 mesh

Part number	Description	Nominal diameter	I.D.	Spacing	Flow rate	Coil length
EHPCB162-33-400					9	400 m
EHPCB162-33-100	Drip In PC brown	16 mm	13,8 mm	33 cm	2 l/h	100 m
EHPCB162-33-50						50 m
EHPCB162-33-25						25 m

Coil length	Coil per pallet	Pallet per truck	Meters per truck
400 m	-	-	160.000
100 m	24	44	105.600
50 m	40	40	80.000
25 m	50	40	50.000







I.S.E. S.r.L

Via dell'Artigianato, 1-3 00065 Fiano Romano (Rome) Italy Phone: +39 0765 40191 toro-ag.it

YouTube ISEontheweb

